



FOOD PROCESSING & HYGIENE SIGNS

This is a food production area in the interests of hygiene protective garments must be worn

6600 H, PT

Slicing Machine
Switch off/disconnect power supply at mains before cleaning. The guard provided must be in the correct position before operating the machine. Always return the slicing thickness indicator to the zero position when works is finished to avoid injury to hand.

6601 H, PT

Convactor Oven
Switch off heater fan button before opening doors

6602 H, PT

Potato Chipping Machine
Switch off/disconnect power supply at mains before changing or attempting to dislodge blockages

6603 H, PT

Deep Fat Fryer
Switch off/disconnect power supply at mains before cleaning. Avoid filling pan beyond recommended oil level. Ensure food is dried before immersing in oil to prevent fothing and subsequent overflowing. Always return thermostat control to zero when frying completed.
When draining:
1. Ensure that receptacle used is large enough to contain contents.
2. Maintain constant vigilance.
3. Clean up spillages immediately.

6604 H, PT

Mincing/Mixing Machine
Switch off/disconnect power supply at mains before cleaning. Use only the plunger provided to push food into the mincing machine - spoons, forks, knives or steels should be avoided. Keep hands clear when machine is in operation.

6605 H, PT

Dishwashing Machine
Switch off/disconnect power supply at mains before cleaning. Avoid overloading machine. If machine jams or stops, immediately switch off power and water supply and examine cause of stoppage. Allow machine to cool before reaching in otherwise serious scalds could occur.

6606 H, PT

Steam Oven
Open door sufficiently to break the seal and allow steam and water to escape before opening fully

6607 H, PT

Waste Disposal Machine
Switch off/disconnect power supply at mains before cleaning. Ensure that cutlery, bones, string, etc. are not mixed with food waste. Switch off power supply if machine jams or stops. Follow manufacturer's inspection instructions.

6608 H, PT

Keep hands clear when machine is operating
Disconnect power supply before cleaning

6610 D, F

Wear rubber gloves
1. Drain fryer and wipe off excess grease and oil.
2. Fill with warm water and stir in alkaline base detergent (follow maker's directions).
3. Heat to 80-90°C and switch off heaters. Leave for 15 minutes stirring continuously. Submerge utensils and baskets in same solution for 5-10 minutes. Remove and scour clean. Rinse well and dry thoroughly.
4. Drain off the fryer, scrape away remaining solids, rinse out well and dry thoroughly.

6611 D, F

Ventilation systems
Clean ventilation canopy externally and internally at least weekly. Clean fan. Clean or replace filters.
Do not operate system without filters where fitted.

6612 D, F

Please wash only food equipment here

6613 D, F

CODE OF PRACTICE FOR THE USE OF BANDSAWS
This code of practice provides safe working conditions for the operation of bandsaws and its provisions must be strictly observed.
1. Only trained operators are allowed to use a bandsaw.
2. Operators under training may only use a bandsaw under skilled supervision.
3. Eye protection must be worn.
4. Operating instructions:
(a) The bandsaw must be operated from the side to enable full use to be made of the moveable table and meat pusher.
(b) Before operation, the blade guard should be adjusted to a height which allows the meat to pass under and give maximum protection.
5. When not in use:
(a) The power must be switched off or the power plug removed.
(b) The moveable table must be locked in position with the blade guard lowered onto the meat pusher.
6. Before commencing to clean or dismantle the operator must check that the power has been switched off or the power plug disconnected.

6614 D, F

DANGEROUS MACHINE
1. Only trained operators are allowed to use this machine.
2. Operators under training may only use this machine under skilled supervision.
3. Check that the guards are in place before operating.
4. Before commencing to clean or dismantle this machine, the operator must check that power has been switched off or the power plug removed.
5. Switch off when not in use.

6615 D, F

NOTE



Colour code - Black / Green / Blue / Red

SIZE

- C=6"x6"
- D=6"x8"
- E=8"x8"
- F=8"x10"
- H=6"x16"
- L=4"x16"
- Q=12"x12"
- PT=4"x11"

MATERIAL

Glow-in-the-dark

Self Adhesive
Vinyl

PVC Rigid Sheet
0.7mm to 3mm

Processed hard
Aluminum Sheet (1mm)





GENERAL SIGNS



6700 A,C,E



6701 A,C,E



6702 A,C,E



6703 A,C,E



6704 A,C,E



6705 A,C,E



6706 A,C,E



6707 A,C,E



6708 H, PT



6709 H, PT



6710 H, PT



6711 H, PT



6712 H, PT



6713 H, PT



6714 H, PT



6715 H, PT



6716 H, PT



6717 H, PT



6718 H, PT



6719 H, PT



6720 H, PT



6721 H, PT



6722 H, PT



6723 H, PT



6724 H, PT



6725 H, PT



6726 H, PT



6727 H, PT



6728 H, PT



6729 H, PT



6730 H, PT



6731 H, PT



6732 H, PT



6733 H, PT



6734 H, PT



6735 H, PT



6736 H, PT



6737 H, PT



6738 H, PT



6739 H, PT



6740 H, PT




6741 H, PT




6742 H, PT


HOTEL & BAR SIGNS




6800 D, F




6801 D, F




6802 D, F




6803 D, F




6804 D, F



6805 D, F



6806 D, F



6807D, F



6808 D, F



6809 D, F



6810 D, F

NOTE



Colour code - Black / Green / Blue / Red

SIZE

A=4"x4"
C=6"x6"
D=6"x8"
E=8"x8"
F=8"x10"
H=6"x16"
PT=4"x11"

MATERIAL

Glow-in-the-dark

Self Adhesive
Vinyl

PVC Rigid Sheet
0.7mm to 3mm

Processed hard
Aluminum Sheet (1mm)



DOOR SIGNS



6831 D,S




6832 D,S



6833 D,S



6834 D,S



6835 D,S



6836 D,S



6837 D,S



6838 D,S

NOTE



Colour code - Black / Green / Blue / Red

OFFICE SIGNS



7550 L



7551 L



7552 L



7553 L



7554 L



7555 L



7556 L



7557 L



7558 L



7559 L



7560 L



7561 L



7562 L



7563 L




7750 H



7751 H



7752 H



7753 H



7754 H



7755 H

SIZE

D=6"x8"
H=6"x16"
L=4"x16"
S=8"x12"

MATERIAL

Glow-in-the-dark

Self Adhesive
Vinyl

PVC Rigid Sheet
0.7mm to 3mm

Processed hard
Aluminum Sheet (1mm)



AGRICULTURE SIGNS

NOTE



Colour code - Black / Green / Blue / Red

SIZE

D=6"x8"
F=8"x10"

MATERIAL

Glow-in-the-dark

Self Adhesive
 vinyl

PVC
 rigid Sheet 0.7mm to 3 mm

Processed hard
 aluminum Sheet (1mm)



TRACTORS TURNING

7630 D,F

CAUTION MUD ON ROAD

7631 D,F

CONCEALED FARM ENTRANCE

7632 D,F

CAUTION CATTLE GRID

7633 D,F

PRIVATE ROAD

7634 D,F

PRIVATE FARM

7635 D,F

All visitors must report to farm office

7636 D,F

FARM OFFICE

7637 D,F

FARM LIVESTOCK DOGS MUST BE KEPT ON A LEAD

7638 D,F

THE ANIMALS ACT 1971 PROTECTION OF LIVESTOCK AGAINST DOGS
YOUR DOG COULD BE SHOT IF FOUND AMONGST SHEEP

7639 D,F

SLOW CHILDREN AND ANIMALS

7640 D,F

DRIVE SLOWLY IN FARMYARD

7641 D,F

BEWARE FARM VEHICLES

7642 D,F

CONCEALED FARM ENTRANCE

7643 D,F

CAUTION FARM ENTRANCE

7644 D,F

CAUTION CHILDREN PLAYING

7645 D,F

Private No right of way

7646 D,F

Beware of the dogs

7647 D,F

Trespassers will be prosecuted

7650 D,F

Keep to public footpath

7651 D,F

Private property Keep out

7652 D,F

Private farm buildings Keep out

7653 D,F

All visitors must report to farm office

7654 D,F

No trespassing

7655 D,F

Keep this gate shut

7656 D,F

Private woods Keep out

7657 D,F

Private road Farm access only

7658 D,F

No entry Disease precautions

7659 D,F

Public footpath

7660 D,F

No fishing

7661 D,F

No camping or caravans

7662 D,F

Livestock Dogs must be kept under control

7663 D,F

No dogs allowed except on a leash

7664 D,F

Farm demonstration

7670 D,F

Farm tour

7671 D,F

Farm shop

7672 D,F

FARMHOUSE Bed & Breakfast

7673 D,F

Please take your litter home Thank you

7674 D,F

Fresh Farm Eggs

7675 D,F

Farmhouse Cream Teas

7676 D,F



AGRICULTURE SIGNS



8550 D,F



8551 D,F



8552 D,F



8553 D,F



8554 D,F



8555 D,F



8556 D,F



8557 D,F



8558 D,F



8559 D,F



8560 D,F



8561 D,F



8562 D,F



8580 H, PT



8581 H, PT



8582 H, PT



8583 H, PT



8584 H, PT

NOTE



Colour code - Black / Green / Blue / Red

SIZE

D=6"x8"
F=8"x10"
H=6"x16"
PT=4"x11"

MATERIAL

Glow-in-the-dark

Self Adhesive
Vinyl

PVC Rigid Sheet
0.7mm to 3mm

Processed hard
Aluminum Sheet (1mm)

DOG SIGNS



8650 D,F



8651 D,F



8652 D,F



8653 D,F



8654 D,F



TEMPORARY TIE SIGNS

NOTE



Colour code - Black / Green / Blue / Red

SIZE

G=6"x12"
I=8"x16"

MATERIAL

Glow-in-the-dark

Self Adhesive
Vinyl

PVC Rigid Sheet
0.7mm to 3mm

Processed hard
Aluminum Sheet (1mm)




9250 G,I



9251 G,I



9252 G,I



9253 G,I



9254 G,I



9255 G,I



9256 G,I



9257 G,I



9258 G,I



9259 G,I



9260 G,I



9261 G,I



9262 G,I



9263 G,I



9264 G,I



9265 G,I



9266 G,I



9267 G,I



9268 G,I



9269 G,I



9270 G,I



9271 G,I

G=6"x12"
I=8"x16"