

Flexi / Rigid Post with Vertical Panel



Flexi-Post are specially designed to withstand multiple high speed impact. They stay in place, providing continuity in a work zone & help reducing maintenance cost. Their installation reduces injuries and vehicle damage resulting from collision with Side Post or Rigid Delineator post on the roads. Their round base is generally bolted to the ground. They can also be attached to the specially made heavy rubber pads - which are generally used for temporary installations for diversion of traffic on the roads. Rigid post with reflective vertical 2mm thick aluminium panel (Modular type) for Information / Warning / Mandatory / Safety / hazardous / prohibitions signs etc.

NOTE





Flexi / Rigid Post with Vertical Panel

































































Flexi / Rigid Post with Vertical Panel





Matter in single side or back to back







































































P-53



Flexi / Rigid Post with Vertical Panel





Matter in single side or back to back



P-54













P-60









P-63




















Two Rigid Post with Horizontal Panel



NOTE













TWO WHEELER PARKING

HEAVY VEHICLE PARKING

E-Square Alliance Pvt. Ltd. 512, New Delhi House, Barakhamba Road, New Delhi-1 Tel: 011-2332 7868, 2371 7868. M: 8800723211 e-mail lotowala@gmail.com

www.safetylock.net

Matter in single side or back to back



Two/Three Rigid Post with Horizontal Panel





NOTE

Matter in single side or back to back





Report to Security On Arrival.

Fix prior appointment with

concerned person to avoid

inconvenience.



72"

Please enter restricted area within premises with an authorised person only.



, III,

Return back your identification badge at security when exiting from the premises

42"



Report your personal belongings at security & get it entered at the gate.



In case of emergency move

immediately to Emergency

Assembly Point



Always display identification badge within the premises.



For assistance contact security



Post Height 48"





