



These signs indicate that a particular course of action must be undertaken.

NOTE



Colour code - Blue



5034 C,E



5171 C,E



5078 C,E



5029 C,E



5146 C,E



5074 C,E



5149 C,E




5107 C,E



5108 C,E




5094 C,E



5087 C,E



5049 C,E



5039 C,E



5091 C,E




5300 C,E



5301 C,E



5117 C, E




5302 C,E



5303 C,E



5304 C,E



5305 C,E



5306 C,E



5307 C,E



5308 C,E



5035 D, F



5036 D, F




5170 D, F



5175 D, F



5045 D, F



5058 D, F



5020 D, F



5022 D, F



5145 D, F



5025 D, F



5026 D, F



5180 D, F



5184 D, F




5155 D, F




5130 D, F



5037 D, F



5038 D, F



5041 D, F

SIZE

- C=6"x6"
- D=6"x8"
- E=8"x8"
- F=8"x10"

MATERIAL

Glow-in-the-dark

Self Adhesive
Vinyl

PVC Rigid Sheet
0.7mm to 3mm

Processed hard
Aluminum Sheet (1mm)



NOTE



Colour code - Blue

SIZE

D=6"x8"
F=8"x10"

MATERIAL

Glow-in-the-dark

Self Adhesive
Vinyl

PVC Rigid Sheet
0.7mm to 3mm

Processed hard
Aluminum Sheet (1mm)



 Ear protection area 5042 D, F	 Use ear protectors 5043 D, F	 Use ear protectors in this area 5044 D, F	 Use ear protectors when operating this machine 5046 D, F	 Use guards 5138 D, F	 Eye protection is provided for your safety and must be worn 5054 D, F
 Eye protection must be worn in this area 5053 D, F	 Eye protection must be worn 5051 D, F	 Your eyes will suffer unless you wear the goggles required for their protection 5052 D, F	 Wear goggles Your eyes cannot be replaced 5055 D, F	 Eye protection must be worn when operating this machine 5056 D, F	 Factory regulation Eye protection must be worn in this department 5057 D, F
 Wear correct eye protection when welding 5059 D, F	 This is a safety helmet area 5263 D, F	 Head protection must be worn 5160 D, F	 Wear helmet 5040 D, F	 Safety helmets are provided for your safety and must be worn 5269 D, F	 Safety helmets must be worn in this area 5270 D, F
 This is a hard hat area 5271 D, F	 Safety helmets must be worn beyond this point 5272 D, F	 Wear antistatic footwear 5090 D, F	 Wear safety harness (belt) 5330 D, F	 Protective Cloth Must be worn in this area 5341 D, F	 Stack correctly 5351 D, F
 Place all rubbish in bins provided 5361 D, F	 High visibility clothing must be worn in this area 5371 D, F	 Lab coats must be worn in this area 5381 D, F	 Lifejackets must be worn 5391 D, F	 Wear seat belts 5400 D, F	 Fire door keep locked 5411 D, F
 Fire Approach Suit Breathing Apparatus 5461 D, F	 Use Apron 5462 D, F	 Keep clear 5100 D, F	 Keep shut 5127 D, F	 Fire precaution keep closed 5128 D, F	 Escape route keep clear at all times 5129 D, F
 This door must be kept closed during loading, discharging, ballasting, tank cleaning and gas freeing operations 7700 D, F	 When the plant is not in use gas cylinder valves shall be shut 7701 D, F	 Secure painter to strong point before launching 7702 D, F	 Co2 Protected area On hearing alarm vacate space immediately. Close access to exit. 7703 D, F	 Approved personal protective equipment must be worn at all time 7704 D, F	 Keep these premises tidy 7705 D, F



NOTE



Colour code - Blue



Above signs are also available in PT sizes, as shown here under



5057 H, PT

A=4"x4" C=6"x6" E=8"x8"



5181 H, PT

SIZE

- C=6"x6"
- D=6"x8"
- E=8"x8"
- F=8"x10"
- H=6"x16"
- PT=4"x11"

MATERIAL

Glow-in-the-dark

Self Adhesive
Vinyl

PVC Rigid Sheet
0.7mm to 3mm

Processed hard
Aluminum Sheet (1mm)



NOTE



Colour code - Blue

SIZE

- C=6"x6"
- D=6"x8"
- E=8"x8"
- F=8"x10"

MATERIAL

Glow-in-the-dark

Self Adhesive
Vinyl

PVC
Rigid Sheet
0.7mm to 3mm

Processed hard
Aluminum Sheet (1mm)



Fire action

IF YOU DISCOVER A FIRE
1. Immediately operate nearest alarm call-point.
2. Attack fire, if possible, with appliances provided but without taking personal risks.
ON HEARING ALARM OF FIRE
3. The _____ will call the fire Brigade immediately by EXCHANGE TELEPHONE

CALL FIRE BRIGADE IMMEDIATELY TO EVERY FIRE OR ON SUSPICION OF FIRE
4. Leave building and report to person in charge of assembly point.
USE NEAREST AVAILABLE EXIT

DO NOT REPLACE RECEIVER UNTIL ADDRESS HAS BEEN REPEATED BY FIRE BRIGADE

**DO NOT USE LIFT
DO NOT STOP TO COLLECT PERSONAL BELONGINGS
DO NOT RE-ENTER BUILDING**

8800 F, Z

Fire action

1. Lift and dial '999'
2. Give operator your telephone number and ask for FIRE.
3. When fire brigade replies give call distinctly

FIRE AT _____

DO NOT REPLACE RECEIVER UNTIL ADDRESS HAS BEEN REPEATED BY FIRE BRIGADE

CALL FIRE BRIGADE IMMEDIATELY TO EVERY FIRE OR ON SUSPICION OF FIRE

8801 F, Z

Fire action

THE PERSON DISCOVERING A FIRE WILL:
Operate the nearest fire alarm.
(The Fire Brigade is to be called immediately)
ON HEARING THE FIRE ALARM
By night -

Put on dressing gown and house shoes.
DO NOT stop to dress fully.
Ensure that others in your room are awake.
Go to the place of assembly, shutting all doors behind you.

By day-
Go at once to the place of assembly.
At all times
ACT QUIETLY .

**DO NOT STOP TO COLLECT YOUR PERSONAL BELONGINGS.
DO NOT ATTEMPT TO PASS OTHERS ON YOUR WAY TO THE PLACE OF ASSEMBLY.**

The Place of assembly is _____

8802 F, Z

Fire action

1. In the event of fire it is that first duty of all concerned to prevent injury or loss of life.
2. For this purpose, you should make certain that you are familiar with all the means of escape in case of fire. Since there may be an opportunity, in the event of a fire, for you to attack it with the nearest fire extinguisher or hose reel, you should also be familiar with how to use them.
3. IF YOU DISCOVER A FIRE OR one is reported to you, you should:

ROUND THE ALARM

4. The principal or the authorized deputy is responsible for ensuring that the Fire Brigade is called immediately on the sounding, of the fire alarm.
5. Immediately after the fire alarm has been sounded, you should:
 1. see that any doors immediately surrounding the fire situation are closed, and
 2. escort persons from the area of the incident. In accordance with the detailed fire drill procedure, ensuring that all doors through which you pass are closed after you, and
 3. When the persons arrive at the assembly point, which is call the roll and notify the principal at once of the result (e.g. "all persons present" or "one missing" and the name and likely locations, as the case may be).

8803 F, Z

Fire action

BATTERY CHARGING PRECAUTIONS

Prevent Explosions
Ensure that there is a good circulation of air to disperse any accumulation of gas before starting work.
Never smoke or use naked flames in the battery charging area.
Do nothing that may cause a spark:
Never tighten or loosen connections while cells are on charge or discharge or gassing.
Keep all connections tight using an insulated spanner.
Keep other metal objects away from the tops of batteries.
Avoid injury from Electrolyte
Wear protective clothing and eye protection.
If electrolyte splashes-
thoroughly with water.
On SKIN: rinse liberally with water.
ON CLOTHING: immediately remove contaminated clothing



Don't Spill Electrolyte
But if you do so accidentally, swirl down the spillage immediately with plenty of water - **BUT NEVER DO THIS IN THE VICINITY OF HIGH TENSION ELECTRICAL EQUIPMENT** - Report the situation immediately and obtain advice.

8804 F, Z

Fire action

IF YOU DISCOVER A FIRE
1. Immediately operate nearest alarm call-point.
2. Attack fire, if possible, with appliances provided but without taking personal risks.
ON HEARING ALARM OF FIRE
3. The _____ will call the fire Brigade immediately by EXCHANGE TELEPHONE

CALL FIRE BRIGADE IMMEDIATELY TO EVERY FIRE OR ON SUSPICION OF FIRE
4. Leave building and report to person in charge of assembly point.
5. The _____ will take charge of any evacuation and ensure that no one is left in the building.

DO NOT REPLACE RECEIVER UNTIL ADDRESS HAS BEEN REPEATED BY FIRE BRIGADE

**DO NOT STOP TO COLLECT PERSONAL BELONGINGS
DO NOT RE-ENTER BUILDING**

8805 F, Z



Emergency Evacuation Instructions

General emergency alarm signal:

7 short blasts followed by one long blast on the ships whistle and alarm bells.

On hearing the alarm signal:

1. Dress warmly and proceed calmly to your nearest Assembly Station.
2. If you are in the vicinity of an Assembly Station, stay where you are and await further instructions from a crew member.

On arrival at a Assembly Station:

1. You will be issued with a lifejacket by a crew member.
2. You will be instructed on how to wear the lifejacket.

Remember!

Remain calm and follow all instructions given by the crew members.

1. **DO NOT** use this lifts
2. **DO NOT** take personal belongings to your Muster station.

8841 Z



EMERGENCY INSTRUCTIONS FOR PASSENGERS

Please read and take careful note of the contents of this notice.

1. GENERAL EMERGENCY ALARM SIGNAL

In the event of an emergency the following signal will be sounded on the ship's whistle and on the alarm system:
Seven or more short blasts followed by one prolonged blast.

2. ACTION ON HEARING THE GENERAL EMERGENCY ALARM SIGNAL

If this signal is sounded and you are not already in an Assembly Station, proceed calmly to the nearest Assembly Station.
If you are in a cabin when the signal is heard, dress warmly and follow the direction signs to your Assembly Station.

3. ASSEMBLY STATION

An Assembly Station is a space where passengers will be required to assemble in the event of an emergency. Assembly Stations are marked by the sign shown below and with a letter. On this ship the Assembly Stations are located in restaurant, bars and lounges. The direction signs to Assembly Stations consist of the Assembly Station signs and an arrow and pointing in the appropriate direction.



4. ACTION ON ARRIVAL IN AN ASSEMBLY STATION

On arrival in an Assembly Station, (or if you are already located in an Assembly Station) you will be issued with a life jacket by a member of the crew and, as necessary instructed in how it is to be worn. Child lifejackets are available for smaller children. Please see accompanying instructions on methods of donning a lifejacket.

5. SUBSEQUENT ACTION

Remain calm and follow the instructions of the crew members in your Assembly Station.

8881 Z



NOTE



Colour code - Blue

SIZE

- C=6"x6"
- D=6"x8"
- E=8"x8"
- F=8"x10"

MATERIAL

Glow-in-the-dark

Self Adhesive
Vinyl

PVC Rigid Sheet
0.7mm to 3mm

Processed hard
Aluminum Sheet (1mm)



FIRE ACTION

On discovery of a fire:

- Operate nearest fire alarm.
- Leave the building by the nearest available exit.
- Report to the assembly point.

On hearing the alarm:

- Leave the building by the nearest available exit.
- Report to the assembly point.

Remember :

The lift must not be used.
The nearest assembly point is:

5114 D, F

FIRE ACTION

Any person discovering a fire:

- Spread the alarm.
- Call the fire brigade.
- Attack the fire if possible using the appliance provided.

On hearing the fire alarm:

- Leave the building by the nearest available exit.
- Report to the assembly point.

Remember :

The nearest assembly point is:
The telephone number for fire is - _____

DO NOT take risks or return to the building for any reason until authorised to do so

5015 D, F

FIRE ACTION

In case of fire :

- Raise the alarm
- Leave the building by the nearest available exit.
- Report to the assembly point.

On hearing the fire alarm:

- Evacuate the building by the nearest available exit.
- Close all doors behind you.
- Report to the assembly point.
- Remain at the assembly point unit authorized to leave

DO NOT take any risks
DO NOT stop to collect personal belongings
DO NOT use lifts

5048 D, F

FIRE ACTION

On discovering a fire:

- Dial 999
- Give the operator your telephone number and ask for fire.
- When the fire brigade replies, give the full address clearly
- Wait until the address has been repeated by the fire brigade before replacing the receiver.

On hearing the alarm:

- Leave the building by the nearest available exit.
- Remain outside the building until told it is safe to re-enter by a senior fire officer.

Remember :

Call the fire brigade immediately to every fire or on suspicion of a fire

5028 D, F

General Fire Notice

- On discovering a fire**
 - Operate the nearest alarm point.
 - Ensure that the Fire Brigade is called by dialing 999.
 - Attempt to extinguish with the nearest suitable Do not attempt if the fire has reached such proportions as to endanger life or escape, but proceed to the Assembly Point.
- On hearing the alarm**
 - Close all doors and windows.
 - Proceed to the Assembly Point, which is at: _____ where a roll call of occupants will be called.
- Know**
 - Your means of escape, both primary & secondary
 - The nearest fire alarm system
 - The nearest fire alarm point
 - The assembly point
- In the event of fire**

Maintain silence.
Do not rush
Do not attempt to pass others
Do not stop to collect personal belongings
Do not re-enter the building until authorised.
Do not use lifts.

8851 F, Z

Emergency action

Instructions to be given out over the public address system by the operator on receiving information of a fire or other emergency situation.

In the event of an emergency, read this message over the public address system:

Attention please
This is an emergency announcement.
Evacuate the building by the nearest unaffected exit immediately.
Do not stop to collect personal
Do not run.
Do not use lifts.
Proceed to assembly point.

8852 F, Z

These premises do not have a telephone. In the event of an emergency, take this card to the nearest telephone, which is at- _____ and dial 999. Read the following information to the emergency operator, adding the service you require. _____ Return to this building and await the arrival of the emergency service.

8853 F, Z

Fire action

- Remain calm
- Wait here until assistance arrives.
- Stay in this special safe refuge .
- You must not leave until told that it is safe to do so by the fire or evacuation officer.

This refuge give protection against fire and smoke. The rehearsed plan for your safe evacuation has been put into action immediately the fire alarm was sounded. Help will alarm shortly.
Please do not smoke

8854 F, Z

Fire action

- Raise the alarm
- Ensure the holiday home is evacuated.
- Call the fire brigade. The nearest telephone is _____
- If practicable, attack the fire.

8855 F, Z

Fire action

- Call Fire Brigade immediately.
- Proceed to nearest available exit.
- Do not return to your vehicle

8900 D, F

D=6"x8"
F=8"x10"

Personal Protective Equipment at Work Regulations 1992

Personal protective equipment is provided for your health and safety and must be used.

Defective equipment should be immediately reported to your safety representative.

8931 D, F



NOTE



Colour code - Blue

SIZE

- C=6"x6"
- D=6"x8"
- E=8"x8"
- F=8"x10"

MATERIAL

Glow-in-the-dark

Self Adhesive
 vinyl

PVC
 rigid
 Sheet
 0.7mm
 to
 3 mm

Processed hard
 aluminum
 Sheet
 (1mm)



**These goggles
are for use with
this grinder only**

**Not to be taken
away**

8951 D, F



**Fire prevention
Please remove plug
from socket when
not in use**

8981 D, F



Escalator safety

1. Stand facing the direction of travel.
2. Hold the handrail.
3. Keep feet away from sides.
4. Small children must be held firmly.
5. Dogs must be carried.

8910 D, F



**Construction
site**

**Keep
out**

8920 D, F



**Permit to work
All contractors
must obtain
a valid permit
to work
on this site**

8925 D, F

**All drivers and
visitors
must report to
site office**

8940 D, F

**Reversing
prohibited
unless under
direction**

8945 D, F